



**CODIAN**  
ROBOTICS

LOGICAL INNOVATION FOR  
PICK AND PLACE ROBOTICS

## D2-1500

The Codian Robotics D2-1500 two- or three-axis delta robot is ideal for high speed toploding pick & place processes. The proven concept design with a minimum of mechanical components results in a high quality robot.

The parallel kinematic design is clean, fast and silent. The D2-1500 is designed to perform with high payloads up to 35 kg and has a working envelope of 1500 mm. The robot can be controlled by many different PLC and motion control systems.

- Open platform for servo motors and control systems
- ISO mount gripper interface
- Materials: carbon fibre, stainless steel, anodized aluminium
- Zero footprint
- Almost maintenance free, easy accessible



**CODIAN**  
ROBOTICS

## D2-1500

THE NEW STANDARD FOR PICKING AND PLACING

### SPECIFICATIONS

Kinematic structure:	delta type
Degrees of freedom:	2+1*
Protection:	IP 65
Noise level:	< 70 dB(A)
Weight:	80 kg

\*with optional rotation

### PERFORMANCE

Rated working range:	1500 x 347 mm
Rotation (Rz):	angle unlimited*
Payload (max.):	35 kg
Pick and Place actions:	max. 45 p/min
Position repeatability X,Y,Z:	± 0.3mm
Angular repeatability Rz*:	± 0.1 °
Limitation rotation torque*:	22 Nm

\*with optional rotation

### WORKING AREA

